Patent Assignment Abstract of Title

Total Assignments: 1

Application #: 10621652 Filing Dt: 07/18/2003

Patent #: NONE

Issue Dt:

PCT #: NONE

Publication #: <u>US20040067328</u> Pub Dt: 04/08/

Inventors: Hiroaki Taniuchi, Jun Shimojo, Yutaka Sugihara, Eiji Owaki, Reiko Okamoto

Title: Cement composite, concrete, concrete cask and method of manufacturing concrete

Assignment: 1

Reel/Frame: <u>014424/0516</u> Received: 08/28/2003

Recorded: 08/25/2003

Mailed: 03/17/2004 Pag

Conveyance: ASSIGNMENT OF ASSIGNORS INTEREST (SEE DOCUMENT FOR DETAILS).

Assignors: TANIUCHI, HIROAKI

SHIMOJO, JUN

SUGIHARA, YUTAKA

OWAKI, EIJI

OKAMOTO, REIKO

Exec Dt: 07/23/2003 Exec Dt: 07/23/2003 **Exec Dt:** 07/25/2003

Exec Dt: 07/25/2003

Exec Dt: 07/25/2003

Assignees: KABUSHIKI KAISHA KOBE SEIKO SHO

10-26, WAKINOHAMACHO 2-CHOME

CHUO-KU, KOBE-SHI HYOGO 651-8585, JAPAN

TAISEI CORPORATION

25-1, NISHISHINJUKU 1-CHOME

SHINJUKU-KU TOKYO, JAPAN

Correspondent: OBLON, SPIVAK, MCCLELLAND ET AL.

1940 DUKE STREET ALEXANDRIA, VA 22314

Search Results as of: 6/1/2005 8:38:57 A.M.

Refine Search

Search Results -

Terms	Documents	
L2 and (iron or ferr\$3)	3	

US Patents Full-Text Database

US Pre-Grant Publication Full-Text Database

US OCR Full-Text Database


Database:

EPO Abstracts Database

JPO Abstracts Database
Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:











Search History

DATE: Wednesday, June 01, 2005 Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> <u>Count</u>	Set Name result set
DB=I	OWPI; PLUR=YES; OP=ADJ		
<u>L3</u>	L2 and (iron or ferr\$3)	3	<u>L3</u>
<u>L2</u>	L1 and portland cement	38	<u>L2</u>
<u>L1</u>	taisei.pa. or kabushiki.pa. or taniuchi-\$.in. or shimojo-\$.in. or sugihara- \$.in. or owaki-\$.in. or okamoto-\$.in.	12671	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:

Database:

Database:

Database:

Database:

Derwent World Patents Index
IBM Technical Disclosure Bulletins

L3 and (hydroxide or pH)

Display:

10 Documents in Display Format: REV Starting with Number 1

Generate: O Hit List O Hit Count O Side by Side O Image



Search History

DATE: Wednesday, June 01, 2005 Printable Copy Create Case

Set Name Query side by side		Hit Count Set Name result set		
•	e WPI; PLUR=YES; OP=ADJ		result set	
<u>L4</u>	L3 and (hydroxide or pH)	8	<u>L4</u>	
<u>L3</u>	L2 and (iron with powder\$2)	61	<u>L3</u>	
<u>L2</u>	L1 and (@PY<2003)	80	<u>L2</u>	
<u>L1</u>	portland cement and ((iron or ferr\$4) with powder)	87	<u>L1</u>	

END OF SEARCH HISTORY

. PALM INTRAI	VET	
---------------	-----	--

Day: Wednesday Date: 6/1/2005 Time: 08:39:54

Inventor Information for 10/621652

Inventor Name	City	State/C	Country	
TANIUCHI, HIROAKI	TAKASAGO-SHI	JAPAN	I	
SHIMOJO, JUN	TAKASAGO-SHI	JAPAN		
<u>SUGIHARA, YUTAKA</u>	ICHIKAWA-SHI	JAPAN	JAPAN	
OWAKI, EIJI	YOKOHAMA-SHI	JAPAN		
OKAMOTO, REIKO	OKAMOTO, REIKO KAWASAKI-SHI		JAPAN	
Appln Info Contents Petition	nfo Atty/Agent Info	Continuity Data	Foreign Data	
Search Another: Application# or Patent# Search				
PCT / /	Search or PG	G PUBS #	Search	
Attorney Docket # Search				
Bar Code#	Search	1		

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

Freeform Search

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

L9 and (silica with fume\$1)

Term:

Display:

10 Documents in Display Format: - Starting with Number

Generate: O Hit List © Hit Count O Side by Side O Image



Search History

DATE: Wednesday, June 01, 2005 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPE	B, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR = Y	ES; OP=ADJ	
<u>L10</u>	L9 and (silica with fume\$1)	1	<u>L10</u>
<u>L9</u>	L1 and ferroboron	14	<u>L9</u>
<u>L8</u>	L7 and ferroboron	0	<u>L8</u>
<u>L7</u>	L6 and (silica with fume\$1)	81	<u>L7</u>
<u>L6</u>	L5 and silica	204	<u>L6</u>
<u>L5</u>	L4 and (@PY<2003)	246	<u>L5</u>
<u>L4</u>	L3 and (hydroxide or pH)	299	<u>L4</u>
<u>L3</u>	L2 and hydrat\$3	416	<u>L3</u>
<u>L2</u>	L1 and ((iron or ferr\$3) with powder\$2)	883	<u>L2</u>
<u>L1</u>	portland cement	24514	<u>L1</u>

END OF SEARCH HISTORY